




Part Number : [1300140032](#)
Product Description : Mini-Change B-Size
Receptacle with Leads 1/2" - 14 NPT Threads,
Straight Male 6 Poles, 1.83m (6.0') Length
Series Number : 130014
Status : Active
Product Category : Circular Industrial
Connectors
Engineering Number : 2R6006A20F060



Documents & Resources

Drawings
[1300140032_sd.pdf](#)

Product Environment Compliance

Compliance

| | |
|--------------------|--------------|
| China RoHS | Not Reviewed |
| EU ELV | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC | Not Reviewed |
| EU RoHS | Not Reviewed |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| | |
|--------------|------------------------------------------------------------------------------------------------------------|
| Status | Active |
| Category | Circular Industrial Connectors |
| Series | 130014 |
| Description | Mini-Change B-Size Receptacle with Leads 1/2" - 14 NPT Threads, Straight Male 6 Poles, 1.83m (6.0') Length |
| Comments | B-Size (1" - 16 UN-2A) |
| IP Rating | IP67 |
| NEMA Rating | NEMA 6 |
| Product Name | Mini-Change |
| Type | Single Ended (pigtail) |
| UPC | 78678844068 |

Agency

| | |
|-----|---------|
| CSA | LR6837 |
| UL | E152210 |

Electrical

| | |
|-------------------------------|------------|
| Current - Maximum per Contact | 8.0A |
| Voltage - Maximum | 600V AC/DC |

Physical

| | |
|-------------------------------|--------------------------------|
| Coupling Type | External Thread |
| Gender | Male |
| Keyway | Single |
| Length | 1.83m |
| Material - Component | Zinc Die-Cast with Black Epoxy |
| Mounting Thread Size | 1/2" - 14 NPT |
| Orientation | Straight |
| Panel Mount | N/A |
| Poles | 6 |
| Temperature Range - Operating | -20° to +105°C |

| | |
|-----------------|---------|
| Wire/Cable Type | UL 1015 |
| Wire Size (AWG) | 16 |