




Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: **Receptacle**  
Connector & Housing Type: **Receptacle**  
Number of Positions: **6**  
Terminal Orientation: **Straight**  
UL Flammability Rating: **UL 94V-0**

Features

Product Type Features

|                          |            |
|--------------------------|------------|
| Sealable                 | No         |
| Connector & Housing Type | Receptacle |

Configuration Features

|                     |   |
|---------------------|---|
| Number of Positions | 6 |
|---------------------|---|

Body Features

|                       |       |
|-----------------------|-------|
| Primary Product Color | Black |
|-----------------------|-------|

Contact Features

|                          |            |
|--------------------------|------------|
| Terminal Type            | Receptacle |
| Terminal Orientation     | Straight   |
| Contact Mating Retention | Without    |

Mechanical Attachment

|                       |              |
|-----------------------|--------------|
| Mating Alignment Type | Polarization |
| Mating Alignment      | With         |



|                         |                            |
|-------------------------|----------------------------|
| Connector Mounting Type | Cable Mount (Free-Hanging) |
|-------------------------|----------------------------|

Housing Features

|                    |                  |
|--------------------|------------------|
| Housing Material   | Polyamide 6.6 GF |
| Centerline (Pitch) | 9.1 mm[.358 in]  |

Usage Conditions

|                             |                            |
|-----------------------------|----------------------------|
| Operating Temperature Range | -40 – 105 °C[-40 – 221 °F] |
|-----------------------------|----------------------------|

Industry Standards

|                        |          |
|------------------------|----------|
| UL Flammability Rating | UL 94V-0 |
|------------------------|----------|

Packaging Features

|                    |        |
|--------------------|--------|
| Packaging Quantity | 1000   |
| Packaging Method   | Carton |

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>









|                                               |                                                                                                                                |
|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                                                                                                      |
| EU ELV Directive 2000/53/EC                   | Compliant                                                                                                                      |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                        |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2024 (241)<br>Candidate List Declared Against: JAN 2021 (211)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free                                            |
| Solder Process Capability                     | Not applicable for solder process capability                                                                                   |

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

|                                                                                                                                                    |                                                                                                                                                       |                                                                                                                                                         |                                                                                                                                                            |
|----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p>TE Part # 926646-1<br/>PL 250 REC HSG 8P NYLON BLACK</p>      |  <p>TE Part # 926526-1<br/>PL MKI 250 REC HSG 5P NYLON BLACK</p>     |  <p>TE Part # 927076-1<br/>PL HOUSING 0.6 PA 6.6 + PE-GF13 BLACK</p> |  <p>TE Part # 2-154719-0<br/>250 PL EX HSG.,REC.,1P,RED</p>             |
|  <p>TE Part # 4-154719-0<br/>POSITIVE LOCK (PL) RECEPTACLE</p>   |  <p>TE Part # 926330-3<br/>6P POS-LOCK BU GEH</p>                   |  <p>TE Part # 926330-8<br/>6P POS-LOCK BU GEH</p>                   |  <p>TE Part # 926646-8<br/>PL 250 8P HOUSING PA6.6 ZYTEL 101 WHITE</p> |
|  <p>TE Part # 100100-1<br/>2 POS POSITIVE LOCK (PL) HOUSING</p> |  <p>TE Part # 926524-1<br/>PL 2P HOUSING PA6.6 ZYTEL 101 BLACK</p> |  <p>TE Part # 926646-4<br/>8P POS-LOCK GEH 6,3</p>                 |  <p>TE Part # 926523-1<br/>3P.POS.LOCK HSG</p>                        |

Also in the Series | Positive Lock 250

|                                                                                                                    |                                                                                                                         |                                                                                                                                  |                                                                                                                                |
|--------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
|  <p>Automotive Terminals(1)</p> |  <p>Crimp Terminal Housings(190)</p> |  <p>Insertion &amp; Extraction Tools(3)</p> |  <p>Insulation Boots &amp; Sleeves(4)</p> |
|  <p>Quick Disconnects(185)</p>  |                                                                                                                         |                                                                                                                                  |                                                                                                                                |



Customers Also Bought

TE Part #WHDS-24-1  
STRAIN RELIEF, HD30, 24SZ, ST

TE Part #1028-027-0405  
BKSHL, 4P, BLK, REC, ST, NW 8.5

TE Part #1379217-1  
5POS MIXED MQS REC COD Z

TE Part #1326490-3  
4P JPT/MT3 PLUG W/LATCH,GRAY

TE Part #1-967588-1  
AMP MCP 9.5, CONTACT

TE Part #5-963715-1  
MQS0,63 Sn rec LL unseal. 0,5-0,75

TE Part #1-962919-2  
TAB 5.8x0.8 CONTACT CS SWS Ag

TE Part #5-103944-1  
8X2 MTE SHRD PIN SR POL .100CL

TE Part #745779-3  
SPRING LATCH,BULK PKG

TE Part #1-2317656-9  
AV25 SPL 3A MOVING RING BLUE 12V

Documents

Product Drawings  
PL 250 REC HSG 6P NYLON BLACK  
English

CAD Files  
Customer View Model  
ENG\_CVM\_CVM\_926330-1\_F.2d\_dxf.zip  
English  
3D PDF  
3D  
Customer View Model  
ENG\_CVM\_CVM\_926330-1\_F.3d\_igs.zip  
English  
Customer View Model  
ENG\_CVM\_CVM\_926330-1\_F.3d\_stp.zip  
English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

926330-1

Receptacle, Receptacle, 6 Position, Straight, UL 94V-0, Black, Polyamide 6.6 GF,  
Mating Alignment, Positive Lock 250, Crimp Terminal Housings



[Agency Approvals](#)

[UL Report](#)

English