

NS 35/15 AL UNPERF 250MM - DIN rail, unperforated



1207659

<https://www.phoenixcontact.com/us/products/1207659>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



DIN rail, unperforated, similar to EN 60715, material: Aluminum, uncoated, Standard profile, color: silver

Commercial data

Item number	1207659
Packing unit	20 pc
Minimum order quantity	20 pc
Product key	BH8422
GTIN	4046356366571
Weight per piece (including packing)	999 g
Weight per piece (excluding packing)	999 g
Country of origin	AT

<https://www.phoenixcontact.com/us/products/1207659>

Product properties

Product type	DIN rail
--------------	----------

Dimensional drawing	
Width	35 mm
Hole width	0 mm
Height	15 mm
Hole height	0 mm
Length	250 mm
Drill hole spacing	0 mm

Color	silver
Material	Aluminum
Coating	uncoated

Tests	similar to EN 60715
-------	---------------------


NS 35/15 AL UNPERF 250MM - DIN rail, unperforated



1207659

<https://www.phoenixcontact.com/us/products/1207659>

Drawings



NS 35/15 AL UNPERF 250MM - DIN rail, unperforated



1207659

<https://www.phoenixcontact.com/us/products/1207659>

Classifications

ECLASS

ECLASS-11.0	27400602
ECLASS-13.0	27400602
ECLASS-12.0	27400602

ETIM

ETIM 9.0	EC001285
----------	----------

UNSPSC

UNSPSC 21.0	39121700
-------------	----------

NS 35/15 AL UNPERF 250MM - DIN rail, unperforated



1207659

<https://www.phoenixcontact.com/us/products/1207659>

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com