



PIDG

TE Internal #: 52409-2


Spring Spade Terminal, 22 – 16 AWG, #6 / M3.5 Stud Size, 3.51 mm

[.138 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially

Insulated, PIDG

[View on TE.com >](#)

Terminals & Splices > Spade Terminals > PIDG Long Spring Spade Tongue Terminals



Spade Terminal Type: **Spring Spade Terminal**

Wire Size: **509 – 3260 CMA**

Stud Size: **#6, M3.5**

[All PIDG Long Spring Spade Tongue Terminals \(50\)](#)

Features

Product Type Features

| | |
|--|--------------------|
| Stud Size | #6, M3.5 |
| Sealable | No |
| Wire Insulation Support Retention Type | Insulation Support |

Electrical Characteristics

| | |
|----------------|-------|
| Voltage Rating | 300 V |
|----------------|-------|

Body Features

| | |
|-------------------------|-----|
| Insulation Sleeve Color | Red |
| Stripe Color | Red |

Contact Features

| | |
|---------------------------|-----------------------|
| Spade Terminal Type | Spring Spade Terminal |
| Barrel Type | Closed |
| Terminal Orientation | Straight |
| Terminal Plating Material | Tin |

Mechanical Attachment

| | |
|-------------------------|------|
| Wire Insulation Support | With |
|-------------------------|------|

Dimensions

| | |
|--------------------------------------|--------------------------------|
| Wire Size | 509 – 3260 CMA |
| Stud Diameter | 3.51 mm [.138 in] |
| Tongue Thickness | .79 mm [.031 in] |
| Product Length | 23.7 mm [.933 in] |
| Compatible Insulation Diameter (Max) | 3.56 mm [.14 in] |
| Compatible Insulation Diameter Range | 2.67 – 3.56 mm [.105 – .14 in] |

Usage Conditions

| | |
|-----------------------------|---------------------|
| Insulation Option | Partially Insulated |
| Operating Temperature Range | 105 °C [221 °F] |

Operation/Application

| | |
|---------------------------------------|--------|
| Compatible With Wire Base Material | Copper |
| Compatible With Wire Plating Material | Tin |

Industry Standards

| | |
|-------------------------------|----|
| Government Qualified Terminal | No |
|-------------------------------|----|

Packaging Features

| | |
|--------------------|-------------|
| Packaging Quantity | 5000 |
| Packaging Method | Loose Piece |

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts





TE Part # 2392021-2
RED BATTERY DAHT KIT 220V (47689-4)

TE Part # 2392021-1
RED BATTERY DAHT KIT 110V (47689-4)

TE Part # 169404
CERTI-LOK DIE

TE Part # 1SET191001R0000
CRIMP-HT

TE Part # 1SET191002R0000
TET CRIMP-HT

Also in the Series | PIDG

Compression Connectors(17)

Crimp Wire Pins, Tabs & Ferrules(41)

Hand Crimping Tools(2)

Knife Disconnects(11)

Quick Disconnects(32)


Ring Terminals(589)

Spade Terminals(228)

Special Purpose Terminals(1)

Splices(39)

Customers Also Bought



TE Part #HDC16-5-LA
DUST CAP, 5P, REC, GRY, LANYARD,
HD10




TE Part #499252-6
034 STRAIN RELIEF A-L RCPT



TE Part #3-640599-8
08P MTA156 CONN ASSY 18AWG
ORA



TE Part #2-1658527-8
622-3441LF=FSKT IDC S 34 30AU



TE Part #643071-8
08P MTA156 FD-THRU COVER



TE Part #8-33469-2
TERMINAL, SOLIS R 4 1/4



TE Part #3-643816-5
05P MTA100 CONN ASSY POL RIB



TE Part #DTM06-12SB-E007
PLG, 12P, BLK, N, XCAP, B



TE Part #0462-221-1631
SOC, SOLID, SIZE 16, 16-20AWG, EXT,
AU



TE Part #DT06-08SA-EP08
PLG, 8P, BLK, N, SEAL RET, CAP, A

Documents

Product Drawings

[PIDG SP SPD 22-16COM22-18MIL 6](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_52409-2_J.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_52409-2_J.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_52409-2_J.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.