

Part Number : 351820190

Product Description: VersaBlade Terminal Position Assurance (TPA) Retainer, 1 Circuit,

Natural

Series Number: 35182 Status: Active

Product Category: Connector Accessories

Documents & Resources

Drawings

Drawing 351820190_sd.pdf

3D Models and Design Files3D Model 351820190_stp.zip

Specifications

Application Specification 351500000AS_ENG-000.pdf
Packaging Specification PK-35182-001-001.pdf
Product Specification PS-35182-003-001.pdf
Product Specification PS-35150-001-001.pdf

Product Environment Compliance

Compliance

| GADSL/IMDS | Not Relevant |
|--------------------|--|
| China RoHS | © |
| EU ELV | Not Relevant |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Not Contained per D(2024)4144-DC (27 June 2024) |
| EU RoHS | Compliant per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration

- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| Status | Active |
|----------------|---|
| Category | Connector Accessories |
| Series | 35182 |
| Description | VersaBlade Terminal Position Assurance (TPA) Retainer, 1 Circuit, Natural |
| Component Type | Terminal Position Assurance |
| Product Family | VersaBlade Wire-to-Wire Connector System |
| Product Name | VersaBlade |
| UPC | 800754249829 |

Physical

| Circuits (Loaded) | 1 |
|-------------------------------|----------------|
| Circuits (maximum) | 1 |
| Color - Resin | Natural |
| Lock to Mating Part | Yes |
| Material - Resin | Nylon |
| Net Weight | 0.312/g |
| Number of Rows | 1 |
| Packaging Type | Bag |
| Temperature Range - Operating | -40° to +120°C |

Use with Part(s)

| Description | Part Number |
|---|--|
| VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 1 Circuit, Natural | /content/molex/molex-dot- com/us/en/products/product-page- pdf.html/351500100.html |

| VersaBlade Hybrid Receptacle | /content/molex/molex-dot- |
|--|--|
| Housing, without Mounting Ears, 1 | com/us/en/products/product-page- |
| Circuit, Natural, Glow-Wire Capable | pdf.html/351500109.html |
| VersaBlade Hybrid Receptacle | /content/molex/molex-dot- |
| Housing, with Mounting Ears, 1 | com/us/en/products/product-page- |
| Circuit, Natural | pdf.html/351500110.html |
| VersaBlade Hybrid Plug Housing, 1 Circuit, Positive Lock, Natural | /content/molex/molex-dot- com/us/en/products/product-page- pdf.html/351510110.html |
| VersaBlade Hybrid Plug Housing, 1 | /content/molex/molex-dot- |
| Circuit, Positive Lock, Natural, | com/us/en/products/product-page- |
| Glow-Wire Capable | pdf.html/351510119.html |

This document was generated on Sep 15, 2024