2702493

https://www.phoenixcontact.com/us/products/2702493

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Mounting holder, for machine lights PLD M 260 .../D70, Swiveling range ±30°

Commercial data

Item number	2702493
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DR08
Product key	DRL22Z
Catalog page	Page 506 (C-6-2019)
GTIN	4055626217031
Weight per piece (including packing)	126.9 g
Weight per piece (excluding packing)	126.9 g
Customs tariff number	94059900
Country of origin	DE

PHŒN

2702493

https://www.phoenixcontact.com/us/products/2702493



Technical data

Notes

Note on application Only for industrial use Product type Assembly element Special properties for machine lights PLD M 260/D70 Special properties for machine lights PLD M 260/D70 Data management status Swiveling range ±30° Article revision 00 Article revision 00 Color gray Material () Aluminum (AIMgSi0,5) Verting PLD machine light Mounting type PLD machine light Thread type ()	Note on application	on application		
Product type Assembly element Special properties for machine lights PLD M 260/D70 Swiveling range ±30° Swiveling range ±30° Data management status Data management status 00 Article revision Material specifications gray Color gray Material () Aluminum (AIMgSi0,5) Mounting type Mounting type PLD machine light		Only for industrial use		
Product type Assembly element Special properties for machine lights PLD M 260/D70 Swiveling range ±30° Swiveling range ±30° Data management status Data management status 00 Article revision Material specifications gray Color gray Material () Aluminum (AIMgSi0,5) Mounting type Mounting type PLD machine light				
Special properties for machine lights PLD M 260/D70 Swiveling range ±30° Data management status Article revision 00 Attricte revision Specifications Color gray Material () Aluminum (AIMgSi0,5) Mounting type	Product properties			
Image: Swiveling range ±30° Data management status Article revision 00 Image: Specifications Color Material () Material () Image: Specifications Image: Specification (AIMgSi0,5) Image: Specification (AIMgSi0,5)	Product type	Assembly element		
Data management status Article revision 00 Material specifications Color gray Material () Aluminum (AIMgSi0,5)	Special properties	for machine lights PLD M 260/D70		
Article revision 00 Material specifications gray Color gray Material () Aluminum (AIMgSi0,5) Mounting type PLD machine light		Swiveling range ±30°		
Material specifications Color gray Material () Aluminum (AIMgSi0,5)	Data management status			
Color gray Material () Aluminum (AIMgSi0,5) Mounting type PLD machine light	Article revision	00		
Material () Aluminum (AIMgSi0,5) Mounting Mounting type PLD machine light	Material specifications			
Mounting Mounting type PLD machine light	Color	gray		
Mounting type PLD machine light	Material ()	Aluminum (AIMgSi0,5)		
	Mounting			
Thread type ()	Mounting type	PLD machine light		
	Thread type	()		



https://www.phoenixcontact.com/us/products/2702493



Classifications

ECLASS

ECLASS-11.0	27111126
ECLASS-12.0	27111126
ECLASS-13.0	27111126

ETIM

	ETIM 9.0	EC002557		
UN	UNSPSC			
	UNSPSC 21.0	39111500		



https://www.phoenixcontact.com/us/products/2702493



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes		
Exemption	6(a), 6(a)-l		
China RoHS			
Environment friendly use period (EFUP)	EFUP-E		
	No hazardous substances above the limits		
EU REACH SVHC			
REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)		
SCIP	7ae9fe90-f0bd-4df0-8fea-b4728fb555d4		

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com