

Filler plugs - HC-BS-PG13 - 1674503

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Filler plugs, for Pg screw connections, type Pg13.5

The illustration shows version HC-BS-PG 21



Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
GTIN	 4 017918 135409
Weight per Piece (excluding packing)	16.18 g
Custom tariff number	85369010
Country of origin	Germany

Technical data

Dimensions

Length	9.5 mm
Length without connecting thread	3 mm
Connecting thread diameter	21 mm
Hexagon angular dimension GRP	22 mm
Length of the connecting thread	6.5 mm

Ambient conditions

Degree of protection	IP68
	IP68
Ambient temperature (operation)	-20 °C ... 80 °C

General

Filler plugs - HC-BS-PG13 - 1674503

Technical data

General

Material	Nickel-plated brass
Cable gland material	Nickel-plated brass
O-ring material	NBR
Thread type on connection side	Pg13.5
Color	silver
	silver

Classifications

eCl@ss

eCl@ss 4.0	27140816
eCl@ss 4.1	27140816
eCl@ss 5.0	27143424
eCl@ss 5.1	27143424
eCl@ss 6.0	27143424
eCl@ss 7.0	27440209
eCl@ss 8.0	23111190

ETIM

ETIM 2.0	EC000437
ETIM 3.0	EC000437
ETIM 4.0	EC000032
ETIM 5.0	EC000723

UNSPSC

UNSPSC 6.01	30212113
UNSPSC 7.0901	39121712
UNSPSC 11	39121712
UNSPSC 12.01	39121712
UNSPSC 13.2	39121712

Approvals

Approvals

Approvals

EAC

Filler plugs - HC-BS-PG13 - 1674503

Approvals

Ex Approvals


Approvals submitted

Approval details

EAC

Drawings

Dimensional drawing



Filler plugs Pg13,5

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1674503](#)