

24in SATA Serial ATA Cable

Product ID: SATA24



The SATA24 Serial ATA Cable features two 7-pin data receptacles and supports full SATA 3.0 bandwidth of up to 6Gbps when used with SATA 3.0 compliant drives.

Featuring a low profile, yet durable construction, the flexible design improves airflow and reduces clutter in your computer case, helping to keep the case clean and cool.

Constructed of only top quality materials and designed for optimum performance and reliability this 24" SATA cable is backed by our lifetime warranty.

Certifications, Reports and Compatibility







Applications

- Installing Serial ATA hard drives, and DVD drives in Small Form Factor computer cases
- Server and storage subsystem applications
- High-end workstation drive installations
- Connections to SATA Drive Arrays

Features



- Supports full SATA 3.0 6Gbps bandwidth
- Compatible with both 3.5" and 2.5" SATA hard drives

Package Length

• Provides 24" in cable length

Hardware		
	Warranty	Lifetime
	Cable Jacket Material	PVC - Polyvinyl Chloride
Performance	Type and Rate	SATA III (6 Gbps)
	Type and Nate	OATA III (0 GBPs)
Connector(s)		
	Connector A	1 - SATA (7 pin, Data)
	Connector B	1 - SATA (7 pin, Data)
Environmental		
	Operating Temperature	20C to 80C (68F to 176F)
	Storage Temperature	24C to 25C (75.2F to 77F)
		50% relative humidity
	Humidity	50% relative numbers
Physical Characteristics		
Onaracteristics	Color	Red
	Connector Style	Straight
	Cable Length	24.0 in [609.6 mm]
	Product Length	24.0 in [61.0 cm]
	Product Width	0.6 in [1.4 cm]
	Product Height	0.2 in [0.6 cm]
	Weight of Product	0.6 oz [18.0 g]
Packaging Information		
	Package Quantity	1

5.0 in [12.8 cm]



Package Width 8.6 in [22.0 cm]

Package Height 0.0 in [0.6 mm]

Shipping (Package) 0.8 oz [23.0 g]

Weight

What's in the Box

Included in Package 1 - 24 in Serial ATA Drive Connection Cable

^{*}Product appearance and specifications are subject to change without notice.