2177526-2 - ACTIVE


IPT / APT

TE Internal #: 2177526-2 Retainer, PA, Orange, -40 – 140 °C [-40 – 284 °F], IPT / APT, Other Automotive Connector Accessories

View on TE.com >



Connectors > Automotive Connectors > Automotive Connector Accessories > Other Automotive Connector Accessories



Automotive Connector Accessory Type: Retainer

Primary Product Material: PA

Primary Product Color: Orange

Operating Temperature Range: -40 – 140 °C [-40 – 284 °F]

Features

Product Type Features

Automotive Connector Accessory Type	Retainer					
Body Features						
Primary Product Material	PA					
Primary Product Color	Orange					
Usage Conditions						
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]					
Industry Standards						
Compatible With Agency/Standards Products	LV214/LV215					
UL Flammability Rating	UL 94HB					
Packaging Features						
Packaging Quantity	2500					
Packaging Method	Box					
Other						
Serviceable	No					
Serviceable	INO					

2177526-2

Retainer, PA, Orange, -40 – 140 °C [-40 – 284 °F], IPT / APT, Other Automotive Connector Accessories



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Calder Dragona Canability	Not reviewe of for colder process conclusion

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




2177526-2

Retainer, PA, Orange, -40 – 140 °C [-40 – 284 °F], IPT / APT, Other Automotive Connector Accessories





Also in the Series | IPT / APT



Connector Seals & Cavity Plugs(7)	Hig	h Voltage Wire Processing	Other Automotive Connector	Ring Terminals(11)	
	Equ	uipment(16)	Accessories(21)		

Customers Also Bought

TE Part #2307011-3 CU ALLOY, FERRULE, 8MM HV, 90DEG, 25 SQMM	TE Part #2405096-1 SPOS,AMP MCP 6.3/4.8K,REC INNER HSG ASSY	TE Part #2365170-3 ACTUATOR,KIEKERT ACTUATOR	TE Part #2390601-1 COMBO 2,CHARGE INLET HSG,AC EXIT COVER
25 SQMM	HSG ASSY		EXII COVER
TE Part #2399867-1	TE Part #2399874-1	TE Part #2400768-1	TE Part #2402063-1
TYPE 1,CHARGE INLET HSG	TYPE 1,CHARGE INLET BRACKET, BRACKET	PIN DIA 2.8,COMMON CONTACT	TYPE 1,CHARGE INLET HSG,DUST CAP

2177526-2

Retainer, PA, Orange, -40 – 140 °C [-40 – 284 °F], IPT / APT, Other Automotive Connector Accessories



TE Part #2405960-2 TE Part #2423368-3 PIN DIA 3.6, COMMON CONTACT, COVER, PROTECTIVE COVER, IPT ASSY, TYPE1

Documents

Product Drawings

ANTI ROTATION SAFEGUARD-HV-1P,IPT,25mmsq

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2177526-2_A_c-2177526-2-a.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2177526-2_A_c-2177526-2-a.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2177526-2_A_c-2177526-2-a.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications Application Specification

English