


DETAIL A

**UNCONTROLLED DOCUMENT**

IMPEDANCE ( Z )			
Frequency	25 MHz	100 MHz	300 MHz
Nominal (REF)	169 Ω	323 Ω	445 Ω
Minimum	- Ω	258 Ω	- Ω



AGILENT E4991A Impedance/Material Analyzer  
HP 16082A Test Fixture


BARE DIMENSIONS

A	16.99 [.669]	+	0.36 [.014]
B	7.01 [.276]	+	0.20 [.008]
C	24.99 [.984]	+	0.64 [.025]

WEIGHT/1000    23.16 kgs    51.05 lbs

DIMENSIONS ARE IN MM [INCHES].				THIS DOCUMENT CONTAINS INFORMATION WHICH IS PROPRIETARY AND CONFIDENTIAL TO STEWARD. NO PRODUCTION OR PUBLICATION OF THIS DOCUMENT IN WHOLE OR IN PART SHALL BE MADE WITHOUT WRITTEN AUTHORIZATION FROM STEWARD.	
H	RE-ACTIVATE PRINT	09/21/06	JRK	<h1>Steward</h1>	
G	UPDATE FORMAT, Z SPECS & CURVE, REM COATING SPECS CHANGE P/N TO -000	05/20/03	JRK		
F	UPDATE PRINT FORMAT ADD DETAIL, UPDATE WGT	04/17/02	JRK		
E	CHG P/N TO 28B0669-00*, ADD COATING SPECS	04/07/99	I.S.		
D	UPDATED P/N FOR NEW CATALOG	9/22/95	JBE	PROJECT/PART NUMBER:	REV
C	CORRECTED IMPEDANCE SPEC.	2/01/95	JBE	28B0669-000	H
B	CORRECTED (mm) DIMENSION	1/27/94	JAZ	DATE:	SCALE:
A	ORIGINAL DRAFT	12/17/93	JAZ	12/17/93	2 : 1
REV	DESCRIPTION	DATE	INT	CAD #	MATERIAL:
				28B0669-000-H	Ni Zn Ferrite
				TOOL #	
				B0669	

SCALE DRAWING 1:1



28B0669-000