

M12 Connector

TE Internal #: T4145415041-001 Wire-to-Panel, 4 Position, Sealable, Wire & Cable, Signal, Panel Mount, Reverse Gender, Nickel, M12 Connector, Standard Circular Connectors

View on TE.com >

Connectors > Circular Connectors > Standard Circular Connectors > M12 Panel Mount PCB



Connector System: Wire-to-Panel

Connector Mounting Type: Panel Mount

Number of Positions: 4

Sealable: Yes

Connector & Contact Terminates To: Wire & Cable

All M12 Panel Mount PCB (111)



Features

Product	Features

Product Type	Connector Assembly
Accessory Color	Black
Assembly Requirement	Factory Assembled
Assembly Type	Electrical Connector
Circular Connector Shell Type	Metal-Shell
Connector Product Type	Connector Assembly
Connector System	Wire-to-Panel
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Circular Connector Type	Receptacle
Shell Type	Metal
Configuration Features	
Number of Positions	4

C For support call+1 800 522 6752

Wire-to-Panel, 4 Position, Sealable, Wire & Cable, Signal, Panel Mount, Reverse Gender, Nickel, M12 Connector, Standard Circular Connectors



Number of Power Positions	0
Number of Signal Positions	4
Contacts Preloaded	Yes
Body Features	
Shell Plating Material	Nickel
Shell Base Material	Copper Alloy
Circular Connector Insulation Material Type	Polyamide GF
Hermetically Sealed	Yes
Contact Features	
Contact Current Rating (Max)	4 A
Reverse Gender	Yes
Circular Connector Contact Type	Socket
Mechanical Attachment	
Connector Mounting Type	Panel Mount
Polarization Code	В
Mating Alignment Type	Keyed

Housing Features

Circular Connector Shell Size	12
Usage Conditions	
IP Water Sealing Level	7
IP Dust Sealing Level	6
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]
Operation/Application	
Circuit Application	Signal
Shielded	No
Industry Standards	
UL Flammability Rating	UL 94HB
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant with Exemptions

C For support call+1 800 522 6752

Wire-to-Panel, 4 Position, Sealable, Wire & Cable, Signal, Panel Mount, Reverse Gender, Nickel, M12 Connector, Standard Circular Connectors



	EU ELV Directive 2000/53/EC	Compliant with Exemptions	
	China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
	EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Pb (3.7% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	
	Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.	
	Solder Process Capability	Not applicable for solder process capability	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts




Also in the Series | M12 Connector

Wire-to-Panel, 4 Position, Sealable, Wire & Cable, Signal, Panel Mount, Reverse Gender, Nickel, M12 Connector, Standard Circular Connectors







Customers Also Bought



TE Part #3-1879378-1 TLR 2512 1.0W R0025 1% 150PPM 2K RL	TE Part #14145515041-001 M12 R/A F PNLREAR STAMPED PIN D- CODE 4P	TE Part #3-1879208-2 CPF 0402 200R 0.1% 25PPM 1K RL	1E Part #103308-3 016 LOPRO HDR SP 15DP
TE	TE	ETE	
TE Part #350557-4 MNL SOK SPECIAL .0125PTPPHBZ	TE Part #350557-1 MNL SOK SPECIAL .0126PTPBR	TE Part #1-2834015-3 3POS 2.54MM TES CONN.	TE Part #2-2176329-5 CRGP 1210 1K0 1%



Documents

Wire-to-Panel, 4 Position, Sealable, Wire & Cable, Signal, Panel Mount, Reverse Gender, Nickel, M12 Connector, Standard Circular Connectors



Product Drawings M12 R/A F PNLREAR STAMPED PIN B-CODE 4P English CAD Files 3D PDF

3D

Customer View Model

ENG_CVM_CVM_T4145415041-001_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_T4145415041-001_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_T4145415041-001_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Datasheets & Catalog Pages M8 / M12 Connector System Catalog

English

Product Specifications Application Specification

English

Instruction Sheets Instruction Sheet (U.S.)

English

Agency Approvals

UL

English