

CL-100R



PILOT LIGHT CL-100R

General Information

Extended Product Type	CL-100R
Product ID	1SFA619402R1001
EAN	7320500204115
Catalog Description	PILOT LIGHT CL-100R
Long Description	Compact Pilot Light - Pilot light head - Red - Illuminated - Lamptype: Ba9s

Ordering

EAN	7320500204115
Minimum Order Quantity	10 piece
Customs Tariff Number	8536619090

Dimensions

Product Net Width	0.03 m
Product Net Height	0.03 m
Product Net Depth / Length	0.055 m
Product Net Weight	0.018 kg

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.1 m
Package Level 1 Height	0.03 m
Package Level 1 Depth / Length	0.1 m
Package Level 1 Gross Weight	0.018 kg
Package Level 2 Units	10 piece

Environmental

Ambient Air Temperature	Storage -30 ... +85 °C Operation -25 ... +70 °C
RoHS Status	Following EU Directive 2011/65/EU

Additional Information

Actuator Type	Pilot light head
Bezel Material	N/A
Color	Red
Degree of Protection	Front IP69K Terminals IP20
Illumination	Illuminated
Lamp Type	Ba9s
Lens Color	Red
Product Main Type	CL
Product Name	Pilot Light
Product Range	Compact
Product Type	CL
Rated Control Supply Voltage (U _s)	240 V
Rated Frequency (f)	Supply Circuit 60 Hz Supply Circuit 50 Hz
Rated Operational Current AC-15 (I _o)	(24 / 127 V) 1.5 A (220 / 240 V) 1 A
Rated Operational Current DC-13 (I _o)	(24 V) 0.3 A (125 V) 0.2 A
RoHS Date	0626 5
Suitable For	Bulb 3W max.

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	1SFC151007C02__
Declaration of Conformity - CE	2CMT2015-005451
Environmental Information	1SFC151009D0201
Instructions and Manuals	1SFC151011M0201
RoHS Information	2CMT2015-005451

Classifications

ETIM 4	EC002024 - Accessories for control circuit devices
ETIM 5	EC000272 - Indicator light complete
ETIM 6	EC000272 - Indicator light complete
ETIM 7	EC000272 - Indicator light complete
Object Classification Code	E
UNSPSC	39121500
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Compact Range

