


Part Number: 734151252

Product Description: 50 Ohms, MMCX Plug RG-174, RG-188 and RG-316 Cable, Plating Per Commercial Requirements, One Piece Per Bag

Series Number: 73415

Status: Active

Product Category: RF / Coaxial Connectors



Documents & Resources

Drawings

734151252_sd.pdf

3D Models and Design Files

734151252_stp.zip

Specifications

735970550-000.pdf

Product Environment Compliance

Compliance

| GADSL/IMDS | Not Relevant |
|--------------------|--|
| China RoHS | <u> </u> |
| EU ELV | Not Relevant |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Contains Lead per D(2022)4187-DC (10 June 2022) |
| EU RoHS | Compliant with Exemption 6(c) per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration

- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| Status | Active |
|----------------|--|
| Category | RF / Coaxial Connectors |
| Series | 73415 |
| Description | 50 Ohms, MMCX Plug RG-174, RG- 188 and RG-316 Cable, Plating Per Commercial Requirements, One Piece Per Bag |
| Product Family | MMCX RF Connectors |
| Product Name | MMCX |
| Style | Cable |
| Туре | Microminiature |
| UPC | 884982653443 |

Electrical

| Frequency | 6 GHz |
|-----------------|-----------------------------|
| Impedance | 50Ω |
| Power / Voltage | VOLTAGE: 170 Vrms@Sea Level |

Physical

| Cable Attachment | Crimp |
|-----------------------|------------------------|
| Gender | Plug |
| Keying to Mating Part | None |
| Net Weight | 0.830/g |
| Orientation | Straight |
| Packaging Type | Bag |
| Panel Mount | No |
| Panel Mount Method | N/A |
| PCB Mounting | N/A |
| Reverse Polar | No |
| Wire/Cable Type | RG-174, RG-188, RG-316 |

This document was generated on Oct 23, 2024