
# PRODUCT DATASHEET REV 5



## **Adhesive Standoffs (SA)**

### Adhesive standoffs to securely attach PCBs to flat surfaces.



0.12" HEIGHT - AVAILABLE QUANTITIES: 8 Pack 24 Pack 100 Pack 500 Pack 1,000 Pack PART#: PART#: PART#: PART#: PART#: SA120x8 SA120x24 SA120x100 SA120x500 SA120x1000

0.18" HEIGHT - AVAILABLE QUANTITIES:

8 Pack 24 Pack

**100 Pack** 

500 Pack

1,000 Pack

PART#: SA180x8

PART#: SA180x24

PART#: SA180x100

PART#: SA180x500

PART#: SA180x1000

#### **Adhesive Standoff Features:**

- Low profile 0.12 or 0.18" standoff height.
- 0.6x0.6" square offset base allows use when holes are close to the PCB edge.
- Integrated clip locks PCBs with 0.125" diameter holes in place.
- Material: Nylon 66(UI), Flame Class: 94V-2.
- 3M Adhesive Tape Backing.




#### **Adhesive Standoff Details:**


The SA120 and SA180 are low-profile adhesive standoffs with 0.120" and 0.180" standoff heights, respectively. It securely attaches your PCB to a flat surface The post inserts into a 0.125" mounting hole. The post includes a locking tab that secures the PCB when inserted. It can be used with 1/16" or 1/32" thick PCBs.

The 0.6 x 0.6" square base is offset to allow the base to be underneath the board when the mounting hole is close the to PCB edge. The offset base provides a large sticking surface while permitting the PCB to be mounted in tight spaces or close to walls. This can be useful when working with small enclosures.

High-quality 3M brand double-sided tape secures the standoff to a flat surface.



#### **Related Products:**



## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

### **BusBoard Prototype Systems:**

SA-120x8 SA120x100 SA120x1000 SA120x500 SA180x8 SA180x1000 SA180x100 SA180x500