

(2.00 mm) .0787"

IGER EYE SOCKET STRIP

SPECIFICATIONS

For complete specifications and recommended PCB layouts see www.samtec.com?SMM

Insulator Material:

Black Liquid Crystal Polymer Contact Material:

Plating: Sn or Au over 50 μ" (1.27 μm) Ni Current Rating (TMM/SMM):

3.2 A per pin (2 pins powered) Voltage Rating: 350 VAC

350 VAC
Operating Temp Range:
-55 °C to +125 °C
Insertion Depth:
(3.05 mm) .120" to
(3.25 mm) .128"

Max Cycles: 100 with 10 μ" (0.25 μm) Au **RoHS Compliant:**

PROCESSING

Lead-Free Solderable:

SMT Lead Coplanarity: (0.10 mm) .004" max

RECOGNITIONS

SMM

For complete scope of recognitions see www.samtec.com/quality



ALSO AVAILABLE (MOQ Required)

- · Locking clip
- (Manual placement required)
- · Other platings

POLARIZING KEY

Specify PK-01-07 for polarizing key (Available in wheels of six each). Also polarizes TCSD Series IDC Cable.

Some lengths, styles and options are non-standard, non-returnable.


Available with optional **Board Mates:** Pick & Place Pads TMM, TMMH, MTMM, MMT, LTMM, TW, PTT, ZLTMM High-reliability Tiger Eye™ contacts Cable Mates: (Four point redundancy) TIGER' (3.56 mm) .140" (2.00 mm)


02

02 thru 40

NO. PINS

PER ROW







-D = 10 μ" (0.25 μm) = Double Row Gold on contact, Matte Tin on tail = 30 μ" (0.76 μm) Gold on contact, **-S Row** (3.81) .150 x (7.62) .300 Matte Tin on tail -D Row (5.71) .225 x (10.01) .394

.0787" pitch

PLATING

OPTION

= Gold flash

on contact.

Matte Tin on tail



ROW

OPTION

-S

= Single

Row

-"XX" = Polarized **Position**

OTHER

OPTION





-TR Tape & Reel Packaging (27 positions maximum)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Samtec:

SMM-104-02-S-D SMM-109-02-S-S-P-TR SMM-131-02-S-D SMM-117-02-S-D-LC SMM-131-02-S-D-LC-62 SMM-111-02-S-S SMM-108-02-S-D-K-TR SMM-104-02-S-D-P-TR SMM-110-02-S-D-K-TR SMM-102-02-S-D SMM-120-02-S-S SMM-105-02-S-D-P-TR SMM-107-02-S-D SMM-110-02-S-D-LC SMM-135-02-S-D SMM-134-02-S-S SMM-103-02-S-D SMM-110-02-S-D SMM-110-02-S-S SMM-109-02-S-S SMM-135-02-S-D-P SMM-108-02-S-D SMM-104-02-S-S SMM-105-02-S-D SMM-104-02-S-S-P-TR SMM-105-02-S-S-P-TR SMM-106-02-S-D-LC SMM-109-02-S-S-K SMM-110-02-L-D-K SMM-103-02-S-D-P-TR SMM-105-02-SM-D SMM-122-02-S-D SMM-110-02-F-D SMM-116-02-S-D SMM-114-02-S-D SMM-102-02-F-D SMM-111-02-L-S-LC SMM-104-02-F-S SMM-105-02-S-D-10 SMM-106-02-S-S SMM-110-02-L-S SMM-115-02-S-S-P SMM-117-02-S-D SMM-109-02-SM-D SMM-120-02-L-D SMM-115-02-S-D-30 SMM-103-02-L-D SMM-109-02-L-D SMM-106-02-L-D SMM-105-02-S-S SMM-112-02-L-D-P SMM-132-02-L-D-K SMM-104-02-S-D-LC-08 SMM-110-02-S-S-LC SMM-112-02-S-D SMM-115-02-S-D-LC-K SMM-122-02-S-D-20 SMM-124-02-S-S SMM-125-02-S-D-P SMM-117-02-L-D-K SMM-108-02-S-D-K SMM-110-02-L-S-LC SMM-110-02-S-S-K-TR SMM-128-02-S-D SMM-105-02-S-S-LC SMM-108-02-SM-S-K SMM-117-02-L-D-P SMM-140-02-L-D SMM-108-02-S-D-LC-K SMM-108-02-S-S SMM-103-02-S-D-K-TR SMM-115-02-S-D-LC-P SMM-125-02-S-D-K SMM-117-02-S-D-K SMM-103-02-S-D-TR SMM-107-02-S-D-K SMM-128-02-S-S SMM-110-02-S-D-P-TR SMM-119-02-S-D SMM-136-02-S-D-P SMM-103-02-S-D-LC-03-P-TR SMM-110-02-L-S-K SMM-122-02-S-D-P SMM-112-02-S-D-P-TR SMM-103-02-S-S-K-TR SMM-132-02-S-S SMM-113-02-S-D SMM-104-02-F-D-K-TR SMM-115-02-S-D-P SMM-109-02-S-D SMM-120-02-S-D SMM-106-02-S-D-K-TR SMM-114-02-S-S SMM-106-02-L-S SMM-130-02-S-D SMM-105-02-SM-D-09-P-TR SMM-105-02-S-D-02 SMM-113-02-S-D-K SMM-118-02-S-D SMM-104-02-S-S-K-TR