


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
N		REVISED PER ECR-17-006536	14SEP2017	RS SZ




.050±.005 DIA
 SECTION A-A
 SCALE 10:1
 10 PLACES

SCREW ¹
 SUPPLIED UNASSEMBLED
 SEE TABLE

TAP, SEE TABLE
 FOR HOLE TYPE

- ¹ TO PREVENT THREAD STRIPPING, SCREW TORQUE SHOULD NOT EXCEED 9 IN LBS.
- ² TAP HOLE IS 6-32UNC-2B, TWO MIN THREADS.
- ³ TAP HOLE IS M4 X 0.7, TWO MIN THREADS.
- ⁴ TAP: .000150 TIN-LEAD OVER .000050 NICKEL.
- ⁵ TAP: .000150 TIN OVER .000050 NICKEL.



OBSOLETE		²	993879-1	YES	9-55558-1
OBSOLETE	⁵	²	NO	YES	9-55558-0
OBSOLETE	⁴	³	NO	YES	1-55558-1
SUPERSEDED BY -4		²	993879-1	NO	55558-8
OBSOLETE		²	NO	NO	55558-7
OBSOLETE	⁴	²	993879-1	YES	55558-4
OBSOLETE		²	NO	YES	55558-3
	FINISH	HOLE TYPE	SCREW	EMBOSSMENT	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. McCLINTON 1-11-88															
DIMENSIONS: INCHES		CHK R. STONE 1-11-88															
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. GALLOWAY 1-11-88	NAME TAP, POWER DISTRIBUTION														
<table border="1"> <tr><td>0 PLC</td><td>± -</td></tr> <tr><td>1 PLC</td><td>± -</td></tr> <tr><td>2 PLC</td><td>± -</td></tr> <tr><td>3 PLC</td><td>± .008</td></tr> <tr><td>4 PLC</td><td>± -</td></tr> <tr><td>ANGLES</td><td>± -</td></tr> </table>		0 PLC	± -	1 PLC	± -	2 PLC	± -	3 PLC	± .008	4 PLC	± -	ANGLES	± -	PRODUCT SPEC -	SIZE A2	CAGE CODE 00779	DRAWING NO C=55558
0 PLC	± -																
1 PLC	± -																
2 PLC	± -																
3 PLC	± .008																
4 PLC	± -																
ANGLES	± -																
MATERIAL COPPER ALLOY 725.		FINISH ⁴ / ⁵	WEIGHT 0.000000	RESTRICTED TO -													
CUSTOMER DRAWING			SCALE 4:1	SHEET 1 of 1	REV N												