M85049/93-16 - ACTIVE

Split Banding Ring TE Internal #: EM6348-000 Split Ring Ferrule, Composite, Split Banding Ring View on TE.com >



Connectors > Connector Accessories > Connector Strain Relief



Strain Relief Accessory Type: Split Ring Ferrule

Primary Product Material: Composite

Operating Temperature Range: -65 – 175 °C [-85 – 347 °F]

Features

Product Type Features

Strain Relief Accessory Type

Body Features

Primary Product Material

Dimensions

Product Length

Split Ring Ferrule

Composite

22.35 mm[.88 in]

Usage Conditions

| Operating Temperature Range | -65 – 175 °C[-85 – 347 °F] |
|--|--|
| Industry Standards | |
| Compatible With Approved Standards Products | 85049/93 |
| Other | |
| Entry Size Code | 16 |
| Product Compliance For compliance documentation, visit the product page on TE.com> | |
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2022 (224) |

Split Ring Ferrule, Composite, Split Banding Ring



Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Not applicable for solder process capability


Halogen Content

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Also in the Series | Split Banding Ring



Customers Also Bought



M85049/93-16

Split Ring Ferrule, Composite, Split Banding Ring







Documents

Product Drawings R85049/93-16

English