

Part Number: 190340005

Product Description: InsulKrimp Snap Plug, for 22-18 AWG Wire, 22.61mm Length

Series Number: 19034

Status: Active

Product Category: Quick Disconnects

Engineering Number: A-269X



Documents & Resources

Drawings

Drawing 190340005_sd.pdf

3D Models and Design Files3D Model 190340005_stp.zip

Specifications

Product Specification PS-19902-011-001.pdf Product Specification PS-19902-013-001.pdf

Product Environment Compliance

Compliance

| GADSL/IMDS | Not Relevant |
|--------------------|--|
| China RoHS | © |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Low-Halogen per IEC 61249-2- 21 |
| REACH SVHC | Not Contained per D(2024)4144-DC (27 June 2024) |
| EU RoHS | Compliant per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC

- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| Status | Active |
|----------------|---|
| Category | Quick Disconnects |
| Series | 19034 |
| Description | InsulKrimp Snap Plug, for 22-18 AWG Wire, 22.61mm Length |
| Product Family | Snap Plugs and Receptacles |
| Product Name | InsulKrimp |
| Туре | Snap Plug |
| UPC | 800753047327 |

Agency

| CSA | LR18689 |
|-----|---------|
| UL | E152602 |

Electrical

| | Voltage - Maximum | 600V |
|-----|----------------------|------|
| - 1 | 1016466 111611116111 | 333. |

Physical

| Barrel Type | Closed |
|-------------------|---------|
| Flammability | 94V-0 |
| Gender | Male |
| Glow-Wire Capable | No |
| Insulated | Partial |
| Insulation | PVC |

| Lock to Mating Part | None |
|--------------------------------|-------------|
| Material - Metal | Copper |
| Material - Plating Mating | Tin |
| Material - Plating Termination | Tin |
| Net Weight | 1.158/g |
| Orientation | Straight |
| Packaging Type | Bag |
| Tab Thickness | N/A |
| Tab Width | N/A |
| Wire Insulation Diameter | 3.60mm max. |
| Wire Size (AWG) | 18, 20, 22 |

Application Tooling

Global

| Description | Part Number |
|---|------------------|
| PremiumGrade Hand Crimp Tool for Avikrimp and Insulkrimp Terminals and Splices, 22-10 AWG and 6.0-0.5mm ² (Rings, Spades, Hooks, Block Spades and Flanged Spades) | <u>640010100</u> |
| PremiumGrade Hand Crimp Tool for Insulkrimp Terminals and Splices, 22-10 AWG (Rings, Spades, Hooks, Block Spades and Flanged Spades) | <u>640010300</u> |
| Crimp Head for the AT-200 Pneumatic Hand Tool | 640050100 |
| Crimp Head for the AT-200 Pneumatic Hand Tool | 640050300 |
| ServiceGrade Hand Crimp Tool for Field Repair only, for production use our PremiumGrade Tool | <u>640160036</u> |