# ANT-868-CW-RH-SMA V ACTIVE

TE Internal #: ANT-868-CW-RH-SMA

Terminal/Duck Antenna, Single Band, LPWAN / LoRaWAN,

External Mount, Stud/Screw/Lug Mount, SMA, Omnidirectional,

Single Port, Gain < 0 dBi

View on TE.com >



#### Antennas



Wireless Application: LoRaWAN, LPWAN, Wi-Fi

Mounting Location: External

Mounting Type: Stud/Screw/Lug Mount

Frequency Category: 862 – 870 Antenna Type: **Terminal/Duck** 

### **Features**

## **Product Type Features**

Antenna Termination	SMA
Antenna Product Type	Antenna

### **Configuration Features**

Antenna Style	Whip
Mounting Location	External
Antenna Type	Terminal/Duck
Band Type	Single Band
Port Configuration	Single Port

#### **Electrical Characteristics**

VSWR (Max)	<1.9:1
Impedance	50 Ω

## Signal Characteristics

Frequency Band	868 MHz
Frequency Category	862 – 870
Peak Gain	< 0 dBi

## **Body Features**

Product Weight	5.94 g[.20952 oz]	



#### **Mechanical Attachment**

Polarization	Linear
Mounting Type	Stud/Screw/Lug Mount
Dimensions	
Product Width	8.5 mm[.33 in]
Product Length	51 mm[2.01 in]
Product Height	0 mm[0 in]
Operation/Application	
Antenna Environment	Outdoor
Directionality	Omnidirectional
Industry Standards	
Wireless Application	LoRaWAN, LPWAN, Wi-Fi

LoRaWAN, LPWAN

## **Product Compliance**

Primary Application

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) SVHC > Threshold: Pb (4.35% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits



as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

## Compatible Parts









## **Customers Also Bought**













#### **Documents**

#### **Product Drawings**

Antenna 1/4 Wave Short 868MHz SMA

English

Antenna 1/4 Wave Short 868MHz SMA

English

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_ANT-868-CW-RH-SMA\_A.2d\_dxf.zip

Terminal/Duck Antenna, Single Band, LPWAN / LoRaWAN, External Mount, Stud /Screw/Lug Mount, SMA, Omnidirectional, Single Port, Gain < 0 dBi



English

**Customer View Model** 

ENG\_CVM\_CVM\_ANT-868-CW-RH-SMA\_A.3d\_igs.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_ANT-868-CW-RH-SMA\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

ANT-868-CW-RH

English