
# T4082102003-000 - ACTIVE

## M8 Connector

TE Internal #: T4082102003-000 Cable-to-Cable, 3 Position, Sealable, Wire & Cable, Signal, Cable Mount (Free-Hanging), Reverse Gender, M8 Connector, Standard Circular Connectors

### View on TE.com >

### Connectors > Circular Connectors > Standard Circular Connectors



Connector System: Cable-to-Cable

Connector Mounting Type: Cable Mount (Free-Hanging)

Number of Positions: 3

Sealable: Yes

Connector & Contact Terminates To: Wire & Cable

## Features



## Product Type Features

Product Type	Connector Assembly	
Accessory Color	Black	
Assembly Requirement	Factory Assembled	
Assembly Type	Electrical Connector	
Circular Connector Shell Type	All Plastic	
Connector Product Type	Connector Assembly	
Connector System	Cable-to-Cable	
Sealable	Yes	
Connector & Contact Terminates To	Wire & Cable	
Circular Connector Type	Plug	
Shell Type	Plastic	
Configuration Features		
Keying & Polarized Position Locations	A	
Factory Installed Backshell	No	

Cable-to-Cable, 3 Position, Sealable, Wire & Cable, Signal, Cable Mount (Free-Hanging), Reverse Gender, M8 Connector, Standard Circular Connectors



Keying	A
Number of Positions	3
Number of Power Positions	0
Number of Signal Positions	3
Contacts Preloaded	Yes
Electrical Characteristics	
Operating Voltage	60 VAC
Body Features	
Peripheral Seal Material	Silicone
Environmental Protection	IP67
O-Ring Material	Silicone
Environmental Protection Type	Sealed
Shell Plating Material	Unplated
Shell Base Material	Plastic
Circular Connector Insulation Material Type	Polyamide 66 GF25
Hermetically Sealed	Yes
Contact Features	

### **Contact Features**

Contact Current Rating (Max)	3 A	
Reverse Gender	Yes	
Circular Connector Contact Type	Pin	
Mechanical Attachment		
Connector Mounting Type	Cable Mount (Free-Hanging)	
Polarization Code	A	
Mating Alignment Type	Keyed	
Usage Conditions		
IP Dust Sealing Level	6	
IP Water Sealing Level	IP67	
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]	
Operation/Application		
Durability Rating	100 Cycles	
Circuit Application	Signal	
Shielded	No	

Cable-to-Cable, 3 Position, Sealable, Wire & Cable, Signal, Cable Mount (Free-Hanging), Reverse Gender, M8 Connector, Standard Circular Connectors



### **Industry Standards**

UL Flammability Rating	UL 94HB
Packaging Features	
Packaging Quantity	1

## **Product Compliance**

#### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions	
EU ELV Directive 2000/53/EC	Compliant with Exemptions	
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2021 (211) SVHC > Threshold: Pb (4% in Pb-Alloy in Copper) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	
Halogen Content	Not Yet Reviewed for halogen content	
Solder Process Capability	Not reviewed for solder process capability	

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


# **Compatible Parts**

Cable-to-Cable, 3 Position, Sealable, Wire & Cable, Signal, Cable Mount (Free-Hanging), Reverse Gender, M8 Connector, Standard Circular Connectors





# Also in the Series | M8 Connector



# Customers Also Bought



=TE		TE TE	= TE
TE Part #T4111001051-000 M12,MALE,STRAIGHT,A CODE,5P, PG7,GOLD	TE Part #DT06-08SA DEUTSCH DT Plug Connectors	TE Part #DT04-08PA DEUTSCH DT Receptacle Connectors	TE Part #W8S Wedgelocks: DEUTSCH DT



TE Part #350779-4 04P UMNL PLUG HSG UL94VO

# Documents

## Product Drawings M8 T DISTRIBUTOR MALE 3POS

English

## **CAD** Files

3D PDF

3D

Cable-to-Cable, 3 Position, Sealable, Wire & Cable, Signal, Cable Mount (Free-Hanging), Reverse Gender, M8 Connector, Standard Circular Connectors



Customer View Model

ENG\_CVM\_CVM\_T4082102003-000\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_T4082102003-000\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_T4082102003-000\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

# Datasheets & Catalog Pages M8 / M12 Connector System Catalog

English

**Product Specifications** 

**Application Specification** 

English

**Application Specification** 

English

Agency Approvals UL

English