




	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1												
PART NUMBER	CIRCUIT SIZE	CLIP OPTION	DIM. "A"	DIM. "B"	DIM. "C"	DIM. "D"	DIM. "E"	DIM. "F"	PCB THICKNESS (REF. J)	TERMINAL PIN TYPE REQUIRED AT EACH CIRCUIT LOCATION																V = VOIDED CIRCUIT						
										1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
43810-1002	24	YES	60.81 2.394	46.20 1.819	58.60 2.307	1.90 .075	3.65 .144	3.1 .12	.160 .063	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	C	C
43810-1006	24	YES	60.81 2.394	46.20 1.819	58.60 2.307	3.50 .138	5.25 .207	5.08 .200	3.18 .125	I	I	V	V	I	I	I	I	I	I	I	I	I	I	V	V	I	I	I	I	I	I	I
43810-1008	10	YES	31.41 1.237	16.80 .661	29.20 1.150	2.71 .107	4.46 .176	3.1 .12	2.39 .094	A	B	A	A	A	B	A	A	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43810-1009	24	YES	60.81 2.394	46.20 1.819	58.60 2.307	2.71 .107	4.46 .176	3.6 .14	2.39 .094	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
43810-1010	06	YES	23.01 .906	8.40 .331	20.80 .819	1.90 .075	3.65 .144	3.1 .12	1.60 .063	A	A	A	A	A	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

K

J

I

H

G

F

E

D

C

B




A

10-frame_0_P_AM.T
Rev. G 2012/01/11

	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
--	----	----	----	----	----	----	----	----	----	----	---	---	---	---	---	---	---	---	---

TERMINAL PIN LEGEND			
PIN TYPE	FINISH (SEE NOTE 2)	MATING TYPE	DIM. "F" (REF. J)
A	I	STD.	3.1 .12
B	I	M-F-B-L	3.1 .12
C	2	STD.	3.1 .12
D	2	M-F-B-L	3.1 .12
E	I	STD.	3.94 .155
F	I	M-F-B-L	3.94 .155
G	2	STD.	3.94 .155
H	2	M-F-B-L	3.94 .155
I	2	STD.	5.08 .200
J	2	M-F-B-L	5.08 .200
K	I	STD.	3.6 .14
L	I	M-F-B-L	3.6 .14

SEE SHEET 1 EC NO. UCP2014-2528 E3 DRAWING BY CHYO:BEL 2013/12/12 APPR:FSM TH 2013/12/19	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE MM/IN		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		mm		INCH		DRAWN BY WANG	DATE 1/5/2002	TITLE MINI-FIT JR BMI RIGHT ANGLE HEADER ASSY. SELECT. LOADED, M-F/B-L molex			
		4 PLACES ±		---		CHECKED BY BANDURA	DATE 1/5/2002				
		3 PLACES ±		.010		APPROVED BY FSMITH					DATE 2012/01/19
		2 PLACES ±		0.25 ±		MATERIAL NO. SEE CHART					DOCUMENT NO. SD-43810-080
		1 PLACE ±		0.38 ±		SHEET NO. 2 OF 2					
		0 PLACE ±		---							
		ANGULAR ±1/2°		---							
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			



15)TEXT ON PART IS FOR REFERENCE ONLY. TEXT AND TEXT LOCATION MAY VARY DEPENDING ON PART NUMBER AND/OR TOOL.

DOCUMENT STATUS	P1	RELEASE DATE	2019/01/28	17:43:44
-----------------	----	--------------	------------	----------

[illegible]