

## This document was generated on 11/23/2018 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	<u>1200060563</u>				
	Active				
	Brad Micro-Change (M12)	Connectore			
		e-Ended Cordset, 4 Poles, Male (Straight) to Pigtail,			
	0.34mm <sup>2</sup> PVC Cable, 10.0				
Documents:					
Drawing (PDF)		RoHS Certificate of Compliance (PDF)			
Agency Certification			Series image	e - Reference only	
UL		E152210			
General			EU ELV		
Product Family		Industrial Cordsets	Not Relevant		
Series		<u>120006</u>			
Connector End A		Micro-Change (M12)	EU RoHS	China RoHS	
Connector End B		Pigtail	Not Reviewed		
IP Rating		IP67	REACH SVHC		
Material - Contact		Copper Alloy	Not Reviewed		
Overview		Brad Micro-Change (M12) Connectors	Halogen-Free		
Product Name		Micro-Change (M12)	Status		
Protocol		N/A	Not Reviewed		
				a plaga visit Captact LIS	
Region		Europe	For more information	n, please visit <u>Contact US</u>	
Туре		Single Ended	China ROHS	Not Reviewed	
UPC		883906068011	ELV	Not Relevant	
Physical			RoHS Phthalates	Not Reviewed	
Cable Diameter		5.40mm (.213")			
Cable Length		10.0m (32.81')			
Color - Cable Jacket		Black	Soarah Barta in ti	his Sarias	
Coupling Style		Threaded		Search Parts in this Series	
Gender		Male-Pigtail	<u>120006</u> Series		
Keyway		Single			
LED Indicator		No			
Material - Cable Jacket		PVC			
		PUR			
Material - Connector Bo					
Material - Coupling Nut		Nickel-plated Brass			
Material - O-Ring		Fluoro-elastomer			
Material - Plating Mating	g	Gold over Nickel			
Orientation		Straight to Pigtail			
Poles		4			
Temperature Range - C	Operating	-30°C TO +80°C			
Wire Size AWG		N/A			
Wire/Cable Type		UL 2464			
Electrical					
Current - Maximum per	Contact	4.0A			
Voltage - Maximum		250V AC/DC			
Material Info					
Engineering Number		804006E03M100			
Reference - Drawing N	Numbers				
Sales Drawing		1200659185-000			

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION