

# Product data sheet

Specifications

## Power Cord, C19 to 5-15P, 2.5m



AP9872

### Overview

Lead time Usually in Stock

### Main

Product or component type Power cord  
Input Connection Type NEMA 5-15P  
Cable length 2.5 m  
Number of cables 1

### Physical

Colour Black  
Height 8.9 cm  
Width 21.6 cm  
Depth 8.9 cm  
Net weight 0.22 kg  
Mounting preference No preference  
mounting mode Not rack-mountable

### Input

Network frequency 50/60 Hz  
Permissible voltage 100...120 V  
Max line current 15 A  
Input current limits 15 A  
Load capacity 1800 VA

### Output

Number of power socket outlets 1 IEC 60320 C19  
Protection type Without circuit breaker

### Conformance

Product certifications CSA  
UL listed

### Environmental

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Ambient air temperature for operation	0...45 °C
Relative humidity	0...95 %
Operating altitude	0...10000 ft
Ambient air temperature for storage	-25...65 °C
Storage Relative Humidity	0...95 %
Storage altitude	0.0000000000...15240.0000000000 m

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.2 cm
Package 1 Width	10.8 cm
Package 1 Length	31.8 cm
Package 1 Weight	0.3 kg

## Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)




Take-back Transparency RoHS/REACH

## Resource performance

 Take-Back Program Available

## Well-being performance

 Lead Free

## Certifications & Standards

**Eu Rohs Directive**

Compliant

[EU RoHS Declaration](#)

**Environmental Disclosure**

[Product Environmental Profile](#)

**Weee**

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

**Circularity Profile**

[End of Life Information](#)

**California Proposition 65**

WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)