











	POSIT	ION	STYLE	DIM A	DIM B	DIM C	DIM J	TERMINAL PLATING	TERM TYPE	CUSTON RESTRIC		
68794-234(LF)	2 X 15 D		2 X 15		D	1. 78/45. 2	1. 72/43. 7	1. 400/35. 56	. 150/3. 81	30u"/. 76u Au OVER 50u"/1/. 27u Ni	ROUND	ND
-235(LF)	1		1		1	İ	. 150/3. 81	30u"/.76u GXT WITH GOLD FLASH	ROUND			
-236(LF)							. 150/3. 81	150u"/3.81u Sn	SQ			
-237(LF)							. 675/17. 15	15u'/. 38u Au OVER 50u"/1. 27u Ni	SQ			
-238(LF)							. 675/17. 15	30u"/. 76u Au OVER 50u"/1/. 27u Ni	SQ			
-239(LF)							. 675/17. 15	30u"/.76u GXT WITH GOLD FLASH	SQ			
-240(LF)	2 X	15		1, 78/45, 2	1. 72/43. 7	1. 400/35. 56	. 675/17. 15	150u" /3. 81u Sn	SQ			
-241(LF)	2 X i	22		2. 48/63. 0	2. 42/61. 5	2. 100/53. 34	. 105/2. 67	15u'/. 38u Au OVER 50u"/1. 27u Ni	ROUND			
-242(LF)	1			1	İ	1	. 105/2. 67	30u"/. 76u Au OVER 50u"/1/. 27u Ni	ROUND			
-243(LF)							. 105/2. 67	30u°/.76u GXT WITH GOLD FLASH	ROUND			
-244(LF)							. 105/2. 67	150u"/3.81u Sn	SQ			
-245(LF)							. 150/3. 81	15u'/. 38u Au OVER 50u"/1. 27u Ni	ROUND			
-246(LF)							. 150/3. 81	30u"/. 76u Au OVER 50u"/1/. 27u Ni	ROUND			
-247(LF)							. 150/3. 81	30u"/. 76u GXT WITH GOLD FLASH	ROUND			
-248(LF)							. 150/3. 81	150u"/3.81u Sn	SQ			
-249(LF)							. 675/17. 15	15u' /. 38u Au OVER 50u" / 1. 27u Ni	SQ			
-250(LF)							. 675/17. 15	30u"/. 76u Au OVER 50u"/1/. 27u Ni	SQ			
-251(LF)							. 675/17. 15	30u"/. 76u GXT WITH GOLD FLASH	SQ			
-252(LF)	2 X 2	22	D	2. 48/63. 0	2. 42/61. 5	2. 100/53. 34	. 675/17. 15	150u*/3.81u Sn	SQ			
-253(LF)	2 X 17 A 1. 98/50. 3		1. 98/50. 3	1. 92/48. 8	1. 600/40. 64	. 105/2. 67	15u'/. 38u Au OVER 50u"/1. 27u Ni	SQ	NO			
-254(LF)					1	UNAS	SIGNED	1		1		
-255(LF)	2 X	5	B . 78/19. 8		. 72/18. 3	. 400/10. 16	. 105/2. 67	30u"/. 76u Au OVER 50u"/1/. 27u Ni	ROUND	YES		
-256(LF)	2 X	7	С	. 98/24. 9	. 92/23. 4	. 600/15. 24		1	1			
-257(LF)	2 X	8	D	1. 08/27. 4	1. 02/25. 9	. 700/17. 78						
-258(LF)	2 X	10	1	1. 28/32. 5	1. 22/31. 0	. 900/22. 86						
-259(LF)	2 X :	12		1. 48/38. 0	1. 42/36. 1	1. 100/27. 94						
-260(LF)	2 X :	13		1. 58/40. 1	1. 52/38. 6	1. 200/30. 48						
-261(LF)	2 X :	15		1. 78/45. 2	1. 72/43. 7	1. 400/35. 56						
-262(LF)	2 X :	17		1. 98/50. 3	1. 92/48. 8	1. 600/40. 64						
-263(LF)	2 X 8	20		2. 28/57. 9	2. 22/56. 4	1. 900/48. 26						
-264(LF)	2 X 8	22		2. 48/63. 0	2. 42/61. 5	2. 100/53. 34						
-265(LF)	2 X 8	25		2. 78/70. 6	2. 72/69. 1	2. 400/60. 96						
-266(LF)	2 X :	30	D	3. 28/83. 3	3. 22/81. 8	2. 900/73. 66	105/2. 67	30u"/. 76u Au OVER 50u"/1/. 27u Ni	ROUND	YES		
-267(LF)					1	UNAS	SIGNED			-		
8794-268(LF)	2 X	5	В	. 78/19. 8	. 72/18. 3	. 400/10, 16	, 105/2, 67	ROUND	YES			

1 | 2

mat'l. code					tolerances unless otherwise specified							STON		A FCI																									
ltr	ecn	no	dr	dat	е		.X ± 0			0.3		COPY				F	> 1			www.	fcico	nnec	t.com																
Ε						linear		.XX ± 0.13		projection		title			~			S																					
								.:	XXX :	E 0.0	5	⊕ ←		HEADER QUICKIE VERTICAL 4 WA																									
								angles		angles		s ±						±		±		7	<i>y</i> `	7		Vt	:K 11	CAL	. 4	WAI									
						dr J.w. bair 8/1/90 IN			J.W. BAIR			V. BAIR 8/1/90		IN	CH/I		product family QUICKIE code						е																
						engr	engr M.SN		M.SMYK			SMYK 8/1/9		/90	-		-	size	dwg	no																			
						chr	м.5	M.SMYK		SMYK		SMYK		SMYK		SMYK		MYK		SMYK		MYK		SMYK		SMYK		MYK		8/1/90		scal	e ₁ .	1	ار⊾ا 68794			sheet	
						арро	М.5	M.SMYK			8/1/90		1:	I	Аз				, 0			7 0	of 8																
she	et	revisi	on																																				

3

PDM: Rev:E 3 STATUS Released

Printed: Apr 12, 2011

authority	
written	
form whatever is not permitted without written authority	Copyright FCI.
<u>s</u>	ij.
form whatever	Property of FCI.

	POSITION	STYLE	DIM A	DIM B	DIM C	DI	M J	TERMINAL PLATING			RM PE	CUSTI RESTR:			
68794-269(LF)	2 X 7	C . 98/24. 9		. 92/23. 4	. 600/15. 24	. 105/2. 67		30u″/.76u GXT WITH GOLD FLASH			UND	YE	2:		
-270(LF)	2 X8	D	1. 08/27. 4	1. 02/25. 9	. 700/17. 78		1		1		1	1			
-271(LF)	2 X 10	1	1. 28/32. 5	1. 22/31. 0	. 900/22. 86										
-272(LF)	2 X 12		1. 48/38. 0	1. 42/36. 1	1. 100/27. 94										
-273(LF)	2 X 13		1. 58/40. 1	1. 52/38. 6	1. 200/30. 48										
-274(LF)	2 X 15		1. 78/45. 2	1. 72/43. 7	1. 400/35. 56										
-275(LF)	2 X 17		1. 98/50. 3	1. 92/48. 8	1. 600/40. 64										
-276(LF)	5 X 50		2. 28/57. 9	2. 22/56. 4	1. 900/48. 26										
-277(LF)	5 X 55		2. 48/63. 0	2. 42/61. 5	2. 100/53. 34										
-278(LF)	2 X 25		2. 78/70. 6	2. 72/69. 1	2. 400/60. 96							,	,		
-279(LF)	2 X 30		3, 28/83, 3	3. 22/81. 8	2. 900/73. 66			30u"/.76u GXT WITH GOLD FLASH		RDI	UND	YE	2:		
68794-280(LF)	2 X 10	D	1. 28/32. 5	1. 22/31. 0	. 900/22. 86	. 105.	/2. 67	150u″ /3. 81u Sn		SQUARE		NΠ			

1 | 2

mat'l. code tolerances unless otherwise specified CUSTOMER COPY FCI Itr ecn no dr date .XX±.01/.X±.3 www.fclconnect.com projection linear .XXX±.005/.XX±.13 HEADER QUICKIE SLIM LINE .XXXX±.0020/.XXX±.051 VERTICAL 4 WALLED angles 0°±2° 8/1/90 INCH 8/1/90 scale product family size dwg no J.W.BAIR M.SMYK Quickie dr INCH/MM code engr M.SMYK chr sheet 68794 5:1 8 of 8 appd M.SMYK 8/1/90 sheet revision index sheet

3 |

PDM: Rev:E 3 | STATUSReleased

Printed: Apr 12, 2011

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

FCI / Amphenol: 68794-118LF