2701680

https://www.phoenixcontact.com/us/products/2701680

**PHŒNIX** CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



This software PLC enables your PC to now handle all control tasks. Control your processes as required via PROFINET or Modbus/TCP

### Your advantages

- · Integrated web server for visualization with WebVisit
- OPC support using an AX OPC server
- FTP server
- · Easy installation on Valueline industrial PCs
- Numerous protocols supported such as: HTTP, FTP, SNTP, SNMP, SMTP, SQL, MySQL, etc.
- Integrated PROFINET controller and PROFINET device
- Engineering with PC Worx (IEC 61131-3)

### Commercial data

Item number	2701680
Packing unit	1 рс
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	DR10
Product key	DRABAA
Catalog page	Page 54 (C-6-2019)
GTIN	4046356779760
Weight per piece (including packing)	78.4 g
Weight per piece (excluding packing)	78.4 g
Customs tariff number	85234910
Country of origin	DE

2701680

https://www.phoenixcontact.com/us/products/2701680



### Technical data

duct properties	
Product type	Software PLC
stem properties	
Performance class	Small-scale controller
Programmable under	PC Worx in IEC 61131
Application type	distributed control technology
EC 61131 runtime system	
Program memory	1 Mbyte
Data storage system	1 Mbyte
Retentive data storage	48 kByte
Number of control tasks	8
Number of data blocks	depending on data storage
Number of timers, counters	depending on data storage
Processing speed	5.5 μs (1 K mixed instructions, Intel® Atom™ Z510PT)
	4 µs (1 K bit instructions, Intel® Atom™ Z510PT)
PROFINET	
Device function	PROFINET controller, PROFINET device
unctionality	
Basic functions	Complete PLC
	Non-realtime-capable software PLC for installation on a standa
	with integrated Modbus/TCP, plus PROFINET-Controller and device functionality
System requirements	
Operating equipment	Keyboard, mouse recommended
Operating system	Windows® 7 (32-Bit/64-Bit)
	Windows® 8.1 (32-Bit/64-Bit)
	Windows® Embedded Standard 7
	Windows® Embedded 2009
	Windows® 10 (32-Bit/64-Bit)
Processor	min. Intel® Atom™
Processor Hard disk memory	min. Intel® Atom™ min. 1 GByte
Hard disk memory	min. 1 GByte
Hard disk memory RAM	min. 1 GByte min. 512 Mbyte

#### **Electrical properties**

Real-time clock



#### 2701680

https://www.phoenixcontact.com/us/products/2701680



Realtime clock	yes			
Mounting				
Thread type	0			

2701680

https://www.phoenixcontact.com/us/products/2701680



## Classifications

#### ECLASS

ECLASS-11.0	27242501
ECLASS-12.0	27242501
ECLASS-13.0	27242501

### ETIM

	ETIM 9.0	EC000809		
UN	UNSPSC			
	UNSPSC 21.0	43233600		

2701680

https://www.phoenixcontact.com/us/products/2701680



### Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE		
EU REACH SVHC			
REACH candidate substance (CAS No.)	No substance above 0.1 wt%		

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com