

1SNK900101R0000 ✓ ACTIVE

ENTRELEC | ENTRELEC SNK

TE Internal #: 1SNK900101R0000

Circuit Separator, Used With Screw Clamp Terminal Blocks, -55 – 110 °C [-67 – 230 °F], ENTRELEC SNK, Terminal Block & Strip Insulating Accessories

[View on TE.com >](#)



Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Insulating Accessories



Insulating Accessory Type: **Circuit Separator**

Compatible With Block or Strip Type: **Screw Clamp Terminal Blocks**

Operating Temperature Range: **-55 – 110 °C [-67 – 230 °F]**

Features

Product Type Features

Insulating Accessory Type	Circuit Separator
---------------------------	-------------------

Body Features

Primary Product Material	Polyamide
Primary Product Color	Dark Gray
Product Weight	.2 g[.007 oz]

Dimensions

Product Depth	20.5 mm[.807 in]
Product Height	14.8 mm[.583 in]

Usage Conditions

Installation Temperature Range	-5 – 40 °C[23 – 104 °F]
Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]

Operation/Application

Compatible With Block or Strip Type	Screw Clamp Terminal Blocks
-------------------------------------	-----------------------------

Industry Standards

IP Rating	IP20
-----------	------



UL Flammability Rating

UL 94V-0

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts






Also in the Series | **ENTRELEC SNK**



Customers Also Bought



TE Part #5535090-5
ASSEMBLY, RECEPTACLE, EUROCARD,
T



TE Part #1586037-6
6P VERT HDR VAL-U-LOK V2



TE Part #5650861-5
ASSEMBLY, RECEPTACLE, EUROCARD,
T



TE Part #1825603-1
BP1532004=Boot, Pushbutton



TE Part #1SNK140000R0000
MC512



TE Part #2327989-1
M12 X-CODE CAT6A



TE Part #1SNK505910R0000
ES4



TE Part #1SNK508065R0000
ZS10-WH



TE Part #1SNK508066R0000
ZS10-BK



TE Part #1SNK908303R0000
JB8-3

Documents

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_1SNK900101R0000_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1SNK900101R0000_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1SNK900101R0000_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[ENTRELEC Terminal Block - Master Catalog](#)

[ENTRELEC Terminal Block - Master Catalog](#)

English

1SNK900101R0000

Circuit Separator, Used With Screw Clamp Terminal Blocks, -55 – 110 °C [-67 – 230 ° F], ENTRELEC SNK, Terminal Block & Strip Insulating Accessories



[CS](#)

[English](#)

[SNK SERIES TERMINAL BLOCKS](#)

[English](#)

[ENTRELEC Terminal Blocks Catalogue \(RUS\)](#)