

**ModuPlug
HDC MBUS 2 MC**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

**Flexible**

The four module sizes make for individual plug solutions that save a huge amount of space. The smaller pitch translates into an optimised design too.

General ordering data

| | |
|------------|----------------------------|
| Type | HDC MBUS 2 MC |
| Order No. | 1428990000 |
| Version | Data module |
| GTIN (EAN) | 4050118233346 |
| Qty. | 1 pc(s). |

**ModuPlug
HDC MBUS 2 MC**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data**Dimensions and weights**

| | | | |
|------------|---------|-----------------|------------|
| Width | 14.5 mm | Width (inches) | 0.571 inch |
| Height | 40.4 mm | Height (inches) | 1.591 inch |
| Depth | 34 mm | Depth (inches) | 1.339 inch |
| Net weight | 6.511 g | | |

Temperatures

| | |
|-------------------|-------------------|
| Limit temperature | -40 °C ... 125 °C |
|-------------------|-------------------|

General data

| | | | |
|---------------------------|--------------------|--------------------|---------------------------------------|
| Insulation strength | 10 ¹² Ω | Material | Polycarbonate, glass fibre reinforced |
| Plugging cycles | ≥ 500 | Pollution severity | 3 |
| Required plug-in slots | 1 | Series | ModuPlug |
| Surge voltage category | III | Type | Pin |
| UL 94 flammability rating | V-0 | | |

PE connection data

| | |
|--------------------|-----------------------------------|
| Connection type PE | Screw connection via module frame |
|--------------------|-----------------------------------|

Classifications

| | | | |
|------------|-------------|------------|-------------|
| ETIM 6.0 | EC002312 | eClass 6.2 | 27-14-34-19 |
| eClass 9.0 | 27-44-02-92 | eClass 9.1 | 27-44-02-18 |

Approvals

| | |
|------|---------|
| ROHS | Conform |
|------|---------|

Downloads

| | |
|--------------------|------------------------------------|
| Brochure/Catalogue | CAT 3 HDC 17/18 EN |
|--------------------|------------------------------------|

Data sheet

**ModuPlug
HDC MBUS 2 MC**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

