

TE Internal #: 2005434-1

Housing for Male Terminals, Wire-to-Wire, 34 Position, 2.2 mm / 4 mm [.086 in / .157 in] Centerline, White, Wire & Cable, Cable Mount (Free-Hanging)

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings









.63 mm, 2.3 mm[.024 in][.09 in]



Connector System: Wire-to-Wire

Number of Positions: 34

Connector & Housing Type: Housing for Male Terminals

Centerline (Pitch): 2.2 mm, 4 mm [.086 in, .157 in]

Sealable: No

Features

Product Type Features

Product Type Features	
Mixed & Hybrid Connector	Yes
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Male Terminals
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	Integrated in Housing
Configuration Features	
Number of Positions	34
Number of Rows	2
Body Features	
Primary Product Color	White

Mechanical Attachment

Mating Tab Width

Contact Features



Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	2.2 mm, 4 mm[.086 in][.157 in]
Other	
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



TE Part # 2005435-1 025/090 HYB 34P CAP HSG TE Part # 2005436-1 025/090 HYB 34P CAP DBL

TE Part # 9-2005436-1 025/090 HYB 34P CAP DBL (EXPORT)

Customers Also Bought



TE Part #1473410-1 025 G 16POS CAP ASSY W TO W



TE Part #936240-1 090III 6P(S) CAP ASSY



TE Part #1-2355506-5 2POS,MCON 1.2,REC HSG ASSY,SLD, COD A



TE Part #2298622-1 24POS,HYBRID,REC HSG ASSY, UNSLD,COD A



TE Part #2316757-1 16POS,HYBRID,TAB HSG ASSY, UNSLD,COD A



TE Part #2391347-1 57POS,HYBRID,REC HSG ASSY,SLD, COD A



TE Part #2391352-1 57POS,HYBRID,TAB HSG ASSY,SLD, COD A



TE Part #2436797-1 DTB 57P WITH RSB FAKRA3 TAB, CONN KIT



TE Part #2366531-2 0.64 SERIES,TERMINAL,025K S

TE Part #2415556-2 7POS,TH 025,REC HSG,UNSLD

Documents

Product Drawings
025/090 HYB 34P CAP ASSY

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_2005434-1_D.2d_dxf.zip



English

Customer View Model

ENG_CVM_CVM_2005434-1_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2005434-1_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Product Specification

English